# CSC 580 Cryptography and Computer Security

Tweakable Block Ciphers and Disk Encryption (Sections 7.7)

February 21, 2017

### **Overview**

### Today:

- Discuss HW5 solutions
- Practical issues in block cipher/mode use and coding
- Tweakable block ciphers and disk encryption

### To do before Thursday:

- Study for HW5 quiz
- Read sections 8.1-8.4 and 8.6
- Make significant progress on project phase 2 (due Tuesday)!

### **Practical Issues with Modes**

Discussion on board and looking at JCA documentation:

Using block cipher modes

- Handling the IV
  - Importance of randomness
  - Sending with the ciphertext
  - Extracting and using to decrypt
- Binary, text, and Base64

### **Goal: Encrypt a Block Storage Device**

### Block storage devices

- Used for "bulk storage"
- Hard drives, solid-state drives, thumb drives, ...
- Devices often portable and can't be physically protected

Where do you see this?

### **Software FDE (Full Disk Encryption)**



VeraCrypt is a successor to TrueCrypt

TrueCrypt was used for years as a cross-platform disk encryption tool - development discontinued in 2014 (interesting story...)

### **Microsoft FDE for Windows**




BitLocker combines software FDE with hardware key protection

- Uses the Trusted Platform Module (TPM)
- · Can be tightly integrated with UEFI Secure Boot
- Can also require a USB drive as a key
- Can encrypt USB drives...

-	

### Disk Encryption in the Disk Itself



### **Properties of Block Storage**

Data in fixed-size blocks/sectors Only full blocks can be read/written Data structures optimized for layout



 Filesystems B-trees (databases)

Some desirable properties (more in textbook)

- Data size must remain the same (think about CBC)
   Data layout must remain the same (blocks map to blocks)
- Same data in different locations has different ciphertext
- Vital for this to be fast!

### **Tweakable Block Ciphers**

Tweakable Encryption: E(K,T,P) = CKey Tweak Plaintext

Goal: "Tweak" adds variability without IV or CT length increase

Efficiency goal: More efficient than changing key

Remember: Can precompute key schedule


- Attempt 1:

   CTR mode with T as CTR?
- Bad: Malleable

### Attempt 2:

- XOR plaintext blocks with counter
- Good: Mixes up ciphertextBad: What if plaintext blocks are counters?

# Tweakable Block Ciphers Tweakable Encryption: E(K,T, P) = C Key Tweak Plaintext Attempt 3: • XOR before and after with "random looking" data • Good: Unlikely to accidentally have bad patterns • Bad: Can an attacker create bad patterns? • Is this a danger? Unclear...



## Test your understanding...

How many block cipher encryptions are needed to encrypt a 512-byte sector?